

December 2, 2016

Mr. Brian Burkhardt, P.E.
Environmental Quality Director
Chatham County
720 Renaissance Drive
Pittsboro, North Carolina

**RE: Split Ash Sample Results – October 2016
Charah Brickhaven Facility**

Dear Mr. Burkhardt:


Smith Gardner, Inc. (S+G) is pleased to present the following results from the split ash sampling performed on October 26, 2016 by S+G personnel at the Charah Brickhaven Facility.


A composite ash sample was collected in the appropriate container provided by Prism Laboratories, Inc. and shipped, under proper chain of custody (COC), to the lab, on ice. Samples collected by S+G personnel were sent to Prism Laboratories, Inc.¹ (NC Certification No. 402) for analysis. Total metals analysis was performed for 8 RCRA Metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium and silver) as well as antimony, beryllium, boron, cobalt, copper, lithium, molybdenum, nickel, thallium, vanadium and zinc. The additional parameters were added due to their analysis in groundwater samples, to provide a direct comparison.


Results from the October event indicate analyzed parameters, except silver, were reported at concentrations above the laboratory method detection limit (MDL). Analytical results from the October event are consistent with past events. The attached table presents the laboratory results since May 2016.

Please contact us with comments or questions at (919) 828-0577 or by email below.

Sincerely,
SMITH GARDNER, INC.


Madeline German, P.G.
Project Geologist
madeline@smithgardnerinc.com




Joan A. Smyth, P.G.
Senior Hydrogeologist
joan@smithgardnerinc.com

Attachment: Laboratory Analytical Report
cc: Dan LaMontagne – Chatham County

¹ Prism Laboratories, Inc. 449 Springbrook Road, Charlotte, NC 28224-0543

	5/26/2016	6/28/2016	7/29/2016	8/23/2016	9/28/2016*	10/26/2016
Antimony	0.0305	0.0285	0.0135	0.049	<0.025	0.0185
Arsenic	2.65	2.35	2.3	1.45	<0.05	1.65
Barium	18	19.5	22	15	<5	11.5
Beryllium	0.19	0.205	0.22	0.18	<0.01	0.125
Boron	1.1	1.15	1.3	1.25	<2.5	1.15
Cadmium	0.011	0.011	0.0165	0.0095	<0.025	0.009
Chromium	0.85	1.2	1.25	1.35	<0.25	0.8
Cobalt	0.55	0.6	0.55	0.475	<0.025	0.475
Copper	3.5	3.25	2.6	2.15	<0.05	2.7
Lead	0.85	0.9	1	0.7	<0.05	0.65
Lithium	1	1	1.05	0.85	NA	0.7
Mercury	0.00175	0.00485	0.0145	0.0125	<0.01	0.00125
Molybdenum	0.135	0.145	0.085	0.08	<0.05	0.095
Nickel	1.1	1.2	1.15	1	<0.05	0.9
Selenium	0.1	0.185	0.495	0.85	<0.1	0.07
Thallium	0.0305	0.04	0.075	0.055	<0.05	0.029
Vanadium	3.45	3.65	3.9	3.15	0.04	2.55
Zinc	1.5	1.65	1.75	1.25	0.43	1.2

NOTE:

- 1) Units are mg/kg dry.
- 2) Total Constituent Analysis was performed for the May through August and October events; results were converted into maximum leachable concentrations by the EPA approved method of dividing by 20 (Section 1.2 of Method 1311, TCLP).
- 3) * TCLP analysis, results in mg/L
- 4) NA = Constituent Not Analyzed



Smith + Gardner, Inc.
Joan Smyth
14 N. Boylan Avenue
Raleigh, NC 27603

Project: Chatham-15-3 (Charah Brickhaven Site) - Ash
Project No.: Permit # 15-03
Lab Submittal Date: 11/01/2016
Prism Work Order: 6110008

This data package contains the analytical results for the project identified above and includes a Case Narrative, Sample Results and Chain of Custody. Unless otherwise noted, all samples were received in acceptable condition and processed according to the referenced methods.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative.

Narrative Notes:

This is a Revised Report and supercedes the original laboratory report dated 11/11/2016. Boron, lithium, and molybdenum have been added to the report.

Please call if you have any questions relating to this analytical report.

Respectfully,

PRISM LABORATORIES, INC.

Angela D. Overcash
VP Laboratory Services

Reviewed By Terri W. Cole For Angela D. Overcash
Project Manager

Data Qualifiers Key Reference:

- D RPD value outside of the control limits.
- J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- M Matrix spike outside of the control limits.
- MI Matrix spike outside of the control limits. Matrix interference suspected.
- BRL Below Reporting Limit
- MDL Method Detection Limit
- RPD Relative Percent Difference
- * Results reported to the reporting limit. All other results are reported to the MDL with values between MDL and reporting limit indicated with a J.

Client Sample ID	Lab Sample ID	Matrix	Date Sampled	Date Received
ASH	6110008-01	Solid	10/26/16	11/01/16

Samples were received in good condition at 2.1 degrees C unless otherwise noted.



Summary of Detections

11/21/2016

Prism Work Order: 6110008

Prism ID	Client ID	Parameter	Method	Result		Units
6110008-01	ASH	Mercury	7471B	0.025	J	mg/kg dry
6110008-01	ASH	Antimony	6020B	0.37		mg/kg dry
6110008-01	ASH	Arsenic	6020B	33		mg/kg dry
6110008-01	ASH	Barium	6020B	230		mg/kg dry
6110008-01	ASH	Beryllium	6020B	2.5		mg/kg dry
6110008-01	ASH	Boron	6020B	23	J	mg/kg dry
6110008-01	ASH	Cadmium	6020B	0.18	J	mg/kg dry
6110008-01	ASH	Chromium	6020B	16		mg/kg dry
6110008-01	ASH	Cobalt	6020B	9.5		mg/kg dry
6110008-01	ASH	Copper	6020B	54		mg/kg dry
6110008-01	ASH	Lead	6020B	13		mg/kg dry
6110008-01	ASH	Lithium	6010D	14		mg/kg dry
6110008-01	ASH	Molybdenum	6020B	1.9		mg/kg dry
6110008-01	ASH	Nickel	6020B	18		mg/kg dry
6110008-01	ASH	Selenium	6020B	1.4		mg/kg dry
6110008-01	ASH	Thallium	6020B	0.58		mg/kg dry
6110008-01	ASH	Vanadium	6020B	51		mg/kg dry
6110008-01	ASH	Zinc	6020B	24		mg/kg dry



Smith + Gardner, Inc.
Attn: Joan Smyth
14 N. Boylan Avenue
Raleigh, NC 27603

Project: Chatham-15-3 (Charah
Brickhaven Site) - Ash
Project No.: Permit # 15-03
Sample Matrix: Solid

Client Sample ID: ASH
Prism Sample ID: 6110008-01
Prism Work Order: 6110008
Time Collected: 10/26/16 13:45
Time Submitted: 11/01/16 08:15

Parameter	Result	Units	SWSL	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	------	--------------	-----	-----------------	--------	--------------------	---------	----------

General Chemistry Parameters

% Solids	80.1	% by Weight		0.100	0.100	1	SM2540 G	11/2/16 14:40	JLB	P6K0083
----------	------	-------------	--	-------	-------	---	----------	---------------	-----	---------

Total Metals

Mercury	0.025	J mg/kg dry		0.026	0.0014	1	7471B	11/4/16 12:35	JAB	P6K0100
Antimony	0.37	mg/kg dry		0.31	0.13	10	6020B	11/2/16 19:09	bgm	P6K0043
Arsenic	33	mg/kg dry		1.8	0.16	10	6020B	11/2/16 19:09	bgm	P6K0043
Barium	230	mg/kg dry		12	2.5	10	6020B	11/2/16 19:09	bgm	P6K0043
Beryllium	2.5	mg/kg dry		0.31	0.13	10	6020B	11/2/16 19:09	bgm	P6K0043
Boron	23	J mg/kg dry		31	1.3	10	6020B	11/2/16 19:09	bgm	P6K0043
Cadmium	0.18	J mg/kg dry		0.31	0.14	10	6020B	11/2/16 19:09	bgm	P6K0043
Chromium	16	mg/kg dry		0.61	0.14	10	6020B	11/2/16 19:09	bgm	P6K0043
Cobalt	9.5	mg/kg dry		0.31	0.11	10	6020B	11/2/16 19:09	bgm	P6K0043
Copper	54	mg/kg dry		0.61	0.12	10	6020B	11/9/16 18:25	bgm	P6K0043
Lead	13	mg/kg dry		0.31	0.12	10	6020B	11/2/16 19:09	bgm	P6K0043
Lithium	14	mg/kg dry		3.2	0.068	1	6010D	11/18/16 5:52	bgm	P6K0364
Molybdenum	1.9	mg/kg dry		1.2	0.33	10	6020B	11/2/16 19:09	bgm	P6K0043
Nickel	18	mg/kg dry		0.31	0.10	10	6020B	11/2/16 19:09	bgm	P6K0043
Selenium	1.4	mg/kg dry		1.2	0.12	10	6020B	11/2/16 19:09	bgm	P6K0043
Thallium	0.58	mg/kg dry		0.31	0.13	10	6020B	11/2/16 19:09	bgm	P6K0043
Vanadium	51	mg/kg dry		1.2	0.43	10	6020B	11/2/16 19:09	bgm	P6K0043
Zinc	24	mg/kg dry		24	1.2	10	6020B	11/2/16 19:09	bgm	P6K0043



Smith + Gardner, Inc.
 Attn: Joan Smyth
 14 N. Boylan Avenue
 Raleigh, NC 27603

Project: Chatham-15-3 (Charah
 Brickhaven Site) - Ash
 Project No: Permit # 15-03

Prism Work Order: 6110008
 Time Submitted: 11/1/2016 8:15:00AM

Total Metals - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P6K0043 - 3050B

Blank (P6K0043-BLK1)

Prepared & Analyzed: 11/02/16

Antimony	BRL	0.25	mg/kg wet							
Arsenic	BRL	1.5	mg/kg wet							
Barium	BRL	10	mg/kg wet							
Beryllium	BRL	0.25	mg/kg wet							
Boron	2.93	25	mg/kg wet							J
Cadmium	BRL	0.25	mg/kg wet							
Chromium	BRL	0.50	mg/kg wet							
Cobalt	BRL	0.25	mg/kg wet							
Copper	BRL	0.50	mg/kg wet							
Lead	BRL	0.25	mg/kg wet							
Molybdenum	BRL	1.0	mg/kg wet							
Nickel	BRL	0.25	mg/kg wet							
Selenium	BRL	1.0	mg/kg wet							
Thallium	BRL	0.25	mg/kg wet							
Vanadium	BRL	1.0	mg/kg wet							
Zinc	BRL	20	mg/kg wet							

LCS (P6K0043-BS1)

Prepared & Analyzed: 11/02/16

Antimony	23.9	0.25	mg/kg wet	25.00		96	80-120			
Arsenic	23.6	1.5	mg/kg wet	25.00		94	80-120			
Barium	24.5	10	mg/kg wet	25.00		98	80-120			
Beryllium	23.6	0.25	mg/kg wet	25.00		94	80-120			
Boron	499	25	mg/kg wet	500.0		100	80-120			
Cadmium	24.5	0.25	mg/kg wet	25.00		98	80-120			
Chromium	24.4	0.50	mg/kg wet	25.00		98	80-120			
Cobalt	24.6	0.25	mg/kg wet	25.00		98	80-120			
Copper	24.2	0.50	mg/kg wet	25.00		97	80-120			
Lead	25.1	0.25	mg/kg wet	25.00		100	80-120			
Molybdenum	25.6	1.0	mg/kg wet	25.00		102	80-120			
Nickel	24.7	0.25	mg/kg wet	25.00		99	80-120			
Selenium	22.9	1.0	mg/kg wet	25.00		92	80-120			
Thallium	24.6	0.25	mg/kg wet	25.00		98	80-120			
Vanadium	23.0	1.0	mg/kg wet	25.00		92	80-120			
Zinc	25.1	20	mg/kg wet	25.00		101	80-120			



Smith + Gardner, Inc.
 Attn: Joan Smyth
 14 N. Boylan Avenue
 Raleigh, NC 27603

Project: Chatham-15-3 (Charah
 Brickhaven Site) - Ash
 Project No: Permit # 15-03

Prism Work Order: 6110008
 Time Submitted: 11/1/2016 8:15:00AM

Total Metals - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P6K0043 - 3050B

Matrix Spike (P6K0043-MS1)	Source: 6110008-01			Prepared & Analyzed: 11/02/16						
Antimony	10.7	0.32	mg/kg dry	32.00	0.374	32	75-125			MI
Arsenic	59.6	1.9	mg/kg dry	32.00	33.2	82	75-125			
Barium	267	13	mg/kg dry	32.00	228	121	75-125			
Beryllium	32.8	0.32	mg/kg dry	32.00	2.49	95	75-125			
Boron	628	32	mg/kg dry	639.9	22.5	95	75-125			
Cadmium	30.6	0.32	mg/kg dry	32.00	0.182	95	75-125			
Chromium	52.6	0.64	mg/kg dry	32.00	15.9	114	75-125			
Cobalt	42.9	0.32	mg/kg dry	32.00	9.46	105	75-125			
Copper	85.5	0.64	mg/kg dry	32.00	53.7	99	75-125			
Lead	42.3	0.32	mg/kg dry	32.00	13.0	91	75-125			
Molybdenum	32.6	1.3	mg/kg dry	32.00	1.89	96	75-125			
Nickel	53.0	0.32	mg/kg dry	32.00	17.8	110	75-125			
Selenium	29.7	1.3	mg/kg dry	32.00	1.45	88	75-125			
Thallium	28.9	0.32	mg/kg dry	32.00	0.581	89	75-125			
Vanadium	91.0	1.3	mg/kg dry	32.00	51.1	125	75-125			
Zinc	58.1	26	mg/kg dry	32.00	23.5	108	75-125			

Matrix Spike Dup (P6K0043-MSD1)	Source: 6110008-01			Prepared & Analyzed: 11/02/16						
Antimony	7.11	0.31	mg/kg dry	30.89	0.374	22	75-125	40	20	D, MI
Arsenic	89.8	1.9	mg/kg dry	30.89	33.2	183	75-125	40	20	D, MI
Barium	248	12	mg/kg dry	30.89	228	65	75-125	7	20	MI
Beryllium	30.7	0.31	mg/kg dry	30.89	2.49	91	75-125	7	20	
Boron	581	31	mg/kg dry	617.7	22.5	90	75-125	8	20	
Cadmium	27.8	0.31	mg/kg dry	30.89	0.182	89	75-125	10	20	
Chromium	47.8	0.62	mg/kg dry	30.89	15.9	103	75-125	10	20	
Cobalt	38.8	0.31	mg/kg dry	30.89	9.46	95	75-125	10	20	
Copper	76.5	0.62	mg/kg dry	30.89	53.7	74	75-125	11	20	M
Lead	41.3	0.31	mg/kg dry	30.89	13.0	91	75-125	2	20	
Molybdenum	29.7	1.2	mg/kg dry	30.89	1.89	90	75-125	9	20	
Nickel	48.3	0.31	mg/kg dry	30.89	17.8	99	75-125	9	20	
Selenium	28.1	1.2	mg/kg dry	30.89	1.45	86	75-125	6	20	
Thallium	26.9	0.31	mg/kg dry	30.89	0.581	85	75-125	7	20	
Vanadium	84.8	1.2	mg/kg dry	30.89	51.1	109	75-125	7	20	
Zinc	54.5	25	mg/kg dry	30.89	23.5	100	75-125	6	20	



Smith + Gardner, Inc.
Attn: Joan Smyth
14 N. Boylan Avenue
Raleigh, NC 27603

Project: Chatham-15-3 (Charah
Brickhaven Site) - Ash
Project No: Permit # 15-03

Prism Work Order: 6110008
Time Submitted: 11/1/2016 8:15:00AM

Total Metals - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P6K0043 - 3050B										
Post Spike (P6K0043-PS1)		Source: 6110008-01			Prepared & Analyzed: 11/02/16					
Antimony	89.1		ug/L	100.0	1.20	88	80-120			
Arsenic	199		ug/L	100.0	107	93	80-120			
Barium	861		ug/L	100.0	732	129	80-120			M
Beryllium	100		ug/L	100.0	7.99	92	80-120			
Boron	1000		ug/L	1000	72.3	93	80-120			
Cadmium	90.8		ug/L	100.0	0.582	90	80-120			
Chromium	145		ug/L	100.0	51.1	94	80-120			
Cobalt	124		ug/L	100.0	30.3	93	80-120			
Copper	270		ug/L	100.0	172	98	80-120			
Lead	129		ug/L	100.0	41.8	88	80-120			
Molybdenum	100		ug/L	100.0	6.06	94	80-120			
Nickel	153		ug/L	100.0	56.9	96	80-120			
Selenium	90.2		ug/L	100.0	4.63	86	80-120			
Thallium	86.0		ug/L	100.0	1.86	84	80-120			
Vanadium	263		ug/L	100.0	164	99	80-120			
Zinc	169		ug/L	100.0	75.3	94	80-120			

Batch P6K0100 - 7471B

Blank (P6K0100-BLK1)		Prepared & Analyzed: 11/04/16								
Mercury	BRL	0.020	mg/kg wet							
LCS (P6K0100-BS1)		Prepared & Analyzed: 11/04/16								
Mercury	0.420	0.020	mg/kg wet	0.4167	101	80-120				

Batch P6K0364 - 3050B

Blank (P6K0364-BLK1)		Prepared: 11/16/16 Analyzed: 11/18/16								
Lithium	BRL	2.5	mg/kg wet							



Smith + Gardner, Inc.
Attn: Joan Smyth
14 N. Boylan Avenue
Raleigh, NC 27603

Project: Chatham-15-3 (Charah
Brickhaven Site) - Ash
Project No: Permit # 15-03

Prism Work Order: 6110008
Time Submitted: 11/1/2016 8:15:00AM

Total Metals - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P6K0364 - 3050B										
LCS (P6K0364-BS1)					Prepared: 11/16/16 Analyzed: 11/18/16					
Lithium	24.9	2.5	mg/kg wet	25.00		99	80-120			



Smith + Gardner, Inc.
Attn: Joan Smyth
14 N. Boylan Avenue
Raleigh, NC 27603

Project: Chatham-15-3 (Charah
Brickhaven Site) - Ash
Project No: Permit # 15-03

Prism Work Order: 6110008
Time Submitted: 11/1/2016 8:15:00AM

General Chemistry Parameters - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch P6K0083 - Solids, Dry Weight

Duplicate (P6K0083-DUP4)	Source: 6110008-01	Prepared & Analyzed: 11/02/16			
% Solids	80.3	0.100 % by Weight	80.1	0.2	20

Sample Extraction Data

Prep Method: Solids, Dry Weight

Lab Number	Batch	Initial	Final	Date/Time
6110008-01	P6K0083	30 g	30 g	11/02/16 14:40

Prep Method: 3050B

Lab Number	Batch	Initial	Final	Date/Time
6110008-01	P6K0043	2.04 g	50 mL	11/02/16 9:45
6110008-01	P6K0043	2.04 g	50 mL	11/02/16 9:45
6110008-01	P6K0364	1.95 g	50 mL	11/16/16 9:00

Prep Method: 7471B

Lab Number	Batch	Initial	Final	Date/Time
6110008-01	P6K0100	0.58 g	50 mL	11/04/16 9:10



449 Springbrook Road • Charlotte, NC 28217
 Phone 704/529-6364 • Fax: 704/525-0409

Full-Service Analytical & Environmental Solutions

CHAIN OF CUSTODY RECORD

PAGE 10 OF 1 QUOTE # TO ENSURE PROPER BILLING:

Project Name: CHARTRAM ASH UST Project: (Yes) (NO)
 Short Hold Analysis: (Yes) (NO) *Please ATTACH any project specific reporting (QC LEVEL I III III IV)
 provisions and/or QC Requirements

Invoice To: SMITH GARBER, INC
 Address: 3027 SIRTH

Client Company Name: SMITH GARBER, INC
 Report To/Contact Name: WAP SIRTH
 Reporting Address: _____
 Phone: _____ Fax (Yes) (No): _____
 Email Address: WAP.SIRTH@GARBER.COM
 EDD Type: PDF Excel Other _____
 Site Location Name: CHAZAH - BILKHAUERS
 Site Location Physical Address: _____

Purchase Order No./Billing Reference _____
 Requested Due Date 1 Day 2 Days 3 Days 4 Days 5 Days
 "Working Days" 6-9 Days Standard 10 days Rush Work Must Be Pre-Approved
 Samples received after 14:00 will be processed next business day.
 Turnaround time is based on business days, excluding weekends and holidays.
 (SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL
 Certification: NELAC DOD FL NC
 SC OTHER N/A _____
 Water Chlorinated: YES NO
 Sample Iced Upon Collection: YES NO

LAB USE ONLY		YES	NO	N/A
Samples INTACT upon arrival?				
Received ON WET ICE?	<input checked="" type="checkbox"/>			
PROPER PRESERVATIVES indicated?	<input checked="" type="checkbox"/>			
Received WITHIN HOLDING TIMES?	<input checked="" type="checkbox"/>			
CUSTODY SEALS INTACT?	<input checked="" type="checkbox"/>			
VOLATILES read W/OUT HEADSPACE?	<input checked="" type="checkbox"/>			
PROPER CONTAINERS used?	<input checked="" type="checkbox"/>			
TEMP: Therm ID: <u>1KT</u> Observed: <u>25.5</u> °C / Corr: <u>21.1</u> °C				

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVA- TIVES	ANALYSIS REQUESTED	REMARKS	PRISM LAB ID NO.
				*TYPE SEE BELOW	NO.	SIZE				
ASH	10/27/16	1345	SOIL	G	1	4oz.		METALS		01

Sampler's Signature: _____ Sampled By (Print Name): _____ Affiliation: _____

Upon relinquishing this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Reinquished By: (Signature) _____ Received By: (Signature) _____ Date: 10/27/16 Military/Hours: 12:30
 Reinquished By: (Signature) _____ Received By: (Signature) _____ Date: 10/27/16 Military/Hours: 1330
 Reinquished By: (Signature) _____ Received By: (Signature) _____ Date: 11-1-16 Military/Hours: 0815

Method of Shipment: Fed Ex USPS Hand-delivered Prism Field Service Other
 *CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic TL = Teflon-lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

NPDES: NC SC SC UST: NC SC SC GROUNDWATER: NC SC DRINKING WATER: NC SC SC SOLID WASTE: NC SC RCRA: NC SC CERCLA: NC SC LANDFILL: NC SC OTHER: NC SC

Additional Comments: _____

PRISM USE ONLY

Site Arrival Time: _____

Site Departure Time: _____

Field Tech Fee: _____

Mileage: _____

SEE REVERSE FOR
TERMS & CONDITIONS

ORIGINAL