

## BRIAR CHAPEL - TRANSECT ZONE

<b>T3 Zone</b>	<b>Phase 6 N</b>	<b>Ph 7</b>	<b>Ph 8</b>	<b>Ph 9</b>	<b>Ph 11</b>	<b>Ph 15N</b>	<b>Ph 16S</b>	<b>Ph 10</b>	<b>Ph 15S</b>	<b>Ph 13 Section 1 &amp; 2</b>	<b>Ph 16 North</b>	<b>Ph 12</b>	<b>Ph 13 Section 3</b>	<b>Ph 14</b>	<b>Cumulative (LF)</b>	<b>Cumulative (%)</b>
50,500 LF	5,000 LF	2,355 LF	1,110 LF	3,000 LF	1,000 LF	2,970 LF	6,375 LF	740 LF	3,400 LF	520 LF	3,120 LF	4,434 LF	2,675 LF	00 LF	36,703 LF	73%
<b>T4a Zone</b>	<b>Phase 6 N</b>	<b>Ph 7</b>	<b>Ph 8</b>	<b>Ph 9</b>	<b>Ph 11</b>	<b>Ph 15N</b>	<b>Ph 16S</b>	<b>Ph 10</b>	<b>Ph 15S</b>	<b>Ph 13 Section 1 &amp; 2</b>					<b>Cumulative (LF)</b>	<b>Cumulative (%)</b>
30,000 LF	600 LF	3,440 LF	4,150 LF	3,200 LF	1,888 LF	765 LF	00 LF	3,397 LF	2,875 LF	576 LF	00 LF	942 LF	00 LF	2,225 LF	24,058 LF	80%
<b>T4b Zone</b>	<b>Phase 6 N</b>	<b>Ph 7</b>	<b>Ph 8</b>	<b>Ph 9</b>	<b>Ph 11</b>	<b>Ph 15N</b>	<b>Ph 16S</b>	<b>Ph 10</b>	<b>Ph 15S</b>	<b>Ph 13 Section 1 &amp; 2</b>					<b>Cumulative (LF)</b>	<b>Cumulative (%)</b>
5,500 LF	00 LF	780 LF	64 LF	00 LF	3,550 LF	00 LF	00 LF	00 LF	160 LF	00 LF	00 LF	00 LF	00 LF	00 LF	4,554 LF	83%